

DIGITAL INDUSTRIES SOFTWARE

Simcenter 3D Engineering Desktop

Integrating geometry and FE modeling to streamline product development

Solution benefits

Provide a platform for multidiscipline simulation

Enable fast, intuitive geometry editing

Deliver comprehensive meshing

Efficiently create and manage finite element assemblies

Quickly pre- and postprocess finite element models for popular common finite element solvers

Capture knowledge and automate processes

Simcenter™ 3D Engineering Desktop software is a unified, open and extensible computer-aided engineering (CAE) environment for simulation analysts. Simcenter 3D Engineering Desktop is the hub of the Simcenter 3D platform, and it accelerates the simulation process by helping you to efficiently build the model you need from 3D geometry faster than traditional CAE preprocessors.


Providing a platform for multidiscipline simulation

Simcenter 3D Engineering Desktop sits at the core of a broader, integrated multidiscipline simulation environment. It is the centralized working environment for pre and postprocessing of all Simcenter 3D solutions for structural, dynamics, composites, durability, acoustics, thermal, flow, motion, optimization, and electromagnetics. This integrated environment helps you to achieve faster CAE processes and streamline multidiscipline simulations that integrate any of the Simcenter 3D solutions together, like thermal-mechanical, vibro-acoustic, or other more complex analyses.





Simcenter 3DEngineering Desktop



Enabling fast, intuitive geometry editing

Simcenter 3D Engineering Desktop is built on an industry-leading geometry foundation. By using Simcenter 3D Engineering Desktop, you can rapidly clean up and prepare geometry from any computer-aided design (CAD) source using direct modeling. Geometry edits and the complete analysis model remain associated to the base design, which means you can easily update your analysis model each time the design changes. As a result, using Simcenter 3D Engineering Desktop accelerates your design-analysis iterations and improves your overall productivity.

Delivering comprehensive meshing

Simcenter 3D Engineering Desktop includes extensive modeling functions for automatic and manual mesh generation of OD, 1D, 2D and 3D elements, and numerous techniques for applying loads and boundary conditions. The Simcenter 3D Engineering Desktop integrated environment is unique because it associates the analysis model to its geometry so when the design geometry changes, it rapidly updates the existing analysis geometry, mesh, loads and boundary conditions. This approach greatly reduces downstream modeling time, which results in huge time savings across a project's many design-analysis iterations.

Efficiently create and manage FE assemblies

Unlike traditional CAE preprocessors that were developed for component analysis and require you to build monolithic analysis models, the Simcenter 3D Engineering Desktop assembly finite element model (AFEM) management tool enables you to create large assembly models by instancing and connecting component models together, like a CAD assembly. When an FE component is updated later in development, Simcenter 3D Engineering Desktop updates all instances of that component in the assembly, eliminating the need to rebuild and connect a new FE assembly.

Furthermore, associatively copy and synchronize loads & boundary conditions of multiple simulations to ensure all simulations are using the latest and best data, with the Simulation Interface Manager and Collaborative Simulation.

Supporting multiple common CAE solvers

Take advantage of Simcenter 3D pre and postprocessing benefits with all your FE solvers. Simcenter 3D Engineering Desktop can be used as the primary pre and post processor for Simcenter Nastran® software, or for third-party solvers such as Abaqus, ANSYS, LS-DYNA and MSC Nastran. This is accomplished with immersive user environments that use the selected solver's terminology, which enables analysts to easily prepare solver-specific analysis models without the need to learn new terminology.

Integrated Design Space Explorations

Leverage the power of HEEDS within the Simcenter 3D environment with Simcenter 3D Design Space Explorer. Define constraints, objectives and choose your variable parameters then let HEEDS and its powerful algorithm update variables and run simulations, iteratively improving the design. Finally,

review your results in the Simcenter 3D environment that you are familiar with.

Capturing knowledge and automating processes

Simcenter 3D Engineering Desktop allows engineering organizations to capture the expertise of senior analysts and make that knowledge available to others in the organization. Analysts can capture their workflows via built-in templates that provide end-to-end automation, from the original CAD model to post processed results, and any steps in-between. In addition the workflow can be highly customized via NXTM Open software, an open framework for automation and programming. Analysts can capture the steps of a CAE process and then develop scripts and easy-to-use dialog boxes so others can re-use the same process. Since Simcenter 3D Engineering Desktop is built on top of the same platform as NX CAD, designers who use NX can continue to work in a familiar environment when they perform CAE.

Seamlessly connect with simulation data management

Simcenter 3D Engineering Desktop seamlessly integrates with the entire Teamcenter software data management portfolio, including the simulation process management module.

Simulation data management capabilities work out-of-the-box (OOTB), and companies can implement a complete environment for managing CAE data, processes and workflow as part of a wider product development environment. This reduces waste by promoting re-use of existing designs and engineering knowledge. It also synchronizes data and makes it readily accessible using data mining, visualization and reporting.

Simcenter 3D also includes a seamless connection to Teamcenter Share for collaboration with partners outside of Teamcenter.

Industry applications

CAE is used across almost all industries today. However, the CAE process is still quite inefficient as engineers can spend upwards of 80 percent of their time on analysis modeling. Simcenter 3D Engineering Desktop can help drastically reduce the time you spend on modeling these industry applications.

Aerospace and defense

Engineers that work on airframes and aircraft engines have vastly different needs for simulation modeling. Simcenter 3D can be used to efficiently handle the large assemblies that airframers need to manage, and it can also easily facilitate building the axisymmetric models that are required for aero engines.

Automotive and transportation

Body-in-white (BIW) modeling is a time-consuming process that requires a connection between hundreds of FE components. Simcenter 3D Engineering Desktop can help automate and reduce the time spent on BIW modeling.

Consumer products


The consumer goods market moves fast, which means your engineers need to move even faster. Simcenter 3D helps you keep pace with rapid design changes so you can quickly simulate the latest iteration of your design.

Industrial machinery

From structural components and rotating equipment to large complex machines, Simcenter 3D Engineering Desktop can help you quickly create the right analysis model.


Marine

Ship models can be quite large, and Simcenter 3D Engineering Desktop has FE assembly management tools that can help you create easy-to-manage structural models.



Simcenter 3DEngineering Desktop

Simcenter 3D Engineering Desktop is a unified, scalable, open and extensible 3D CAE environment for simulation analysts. It accelerates the simulation process by helping you to efficiently build the simulation model you need from 3D geometry faster than traditional CAE preprocessors.




Module benefits

- Accelerate simulation processes by up to 70 percent
- Increase product quality by rapidly simulating design tradeoff studies
- Lower overall product development costs by reducing costly, late design changes
- Efficiently manage large, complex FE assemblies
- Capture and automate best practices and commonly used processes
- Provide pre- and postprocess analysis models for the most popular finite element solvers
- Easily add multidiscipline simulation capabilities as your analysis needs grow

- An industry-leading geometry foundation for faster geometry editing and abstraction
- Comprehensive meshing tools
- Efficient FE assembly management
- Extensive graphics, plotting and reporting capabilities for postprocessing
- An open and extensible platform
- Seamless integration with simulation data management

Simcenter 3DEnvironment for Simcenter Nastran

Included with Simcenter 3D Engineering Desktop, the Simcenter 3D Environment for Simcenter Nastran® software enables you to build finite element models, define solution parameters and view the solution results for the Simcenter Nastran solver. The environment immerses you in familiar Simcenter Nastran language for element definitions, loads and boundary conditions, solution parameters and other common Simcenter Nastran nomenclature. In addition to defining model capabilities, the Simcenter Nastran environment provides bi-directional import/export capabilities that enable you to import current or legacy Simcenter Nastran bulk data files and results as well as export its run-ready data files.




Module benefits

- Simplifies the Simcenter Nastran modeling process by enabling engineers to create analysis models based on geometry or legacy Simcenter Nastran input data files
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from Simcenter 3D

- Immerses engineers in the Simcenter Nastran environment by using familiar terminology and extensive support of product-specific elements and entities
- The Simcenter Nastran environment supports a variety of solutions:
 - SOL 101 Linear statics
 - SOL 103 Normal modes
 - SOL 105 Buckling
 - SOL 106 Nonlinear and linear statics
 - SOL 107 Direct complex eigenvalues
 - SOL 108 Direct frequency response
 - SOL 109 Direct transient response
 - SOL 110 Modal complex eigenvalues
 - SOL 111 Modal frequency response
 - SOL 112 Modal transient response
 - SOL 129 Nonlinear and linear transient response
 - SOL 153 Static structural and/or steadystate heat transfer analysis with options: linear or nonlinear analysis
 - SOL 159 Transient structural and/or transient heat transfer analysis with options: linear or nonlinear analysis
 - SOL 200 Design optimization with option for only sensitivity analysis
 - SOL 401 Multistep, structural solution that supports a combination of static (linear or nonlinear) subcases and modal (real eigenvalue) subcases
 - SOL 414 Rotor Dynamics supports both frequency and time domain solutions, including complex modal analysis (Campbell diagram and critical speeds), maneuver loads, unbalance response, and superelements, for assemblies of rotors, casings and bearings

Simcenter 3DEnvironment for Abaqus

The Simcenter 3D Environment for Abaqus enables you to build finite element models, define solution parameters and view the solution results for the Abaqus solver. The environment immerses you in familiar Abaqus language for element definitions, loads and boundary conditions, solution parameters and other common Abaqus nomenclature. In addition to defining model capabilities, the Abaqus environment enables bi-directional import/export capabilities that enable you to import its current or legacy data files and results, as well as export run-ready Abaqus input data files.



Module benefits

- Simplifies the Abaqus modeling process by enabling you to create analysis models based on geometry or solver input data files
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from Simcenter 3D

- General structural
- Static, buckling and frequency perturbation
- Complex eigenvalue extraction
- Implicit dynamic
- Transient modal dynamic
- Steady-state modal dynamic
- Steady-state dynamics subspace projection
- Direct-solution steady-state dynamic
- Response spectrum
- Random response
- Visco
- Direct cyclic analyses
- Modal flexible body
- Substructure generation
- Matrix generation
- Dynamic explicit
- Thermal and coupled thermal-structural analyses:
 - steady-state and transient heat transfer
- Dynamic coupled thermal-structural analysis

Simcenter 3DEnvironment for ANSYS

The Simcenter 3D Environment for ANSYS enables you to build finite element models, define solution parameters and view the solution results for the ANSYS solver. The environment immerses you in familiar ANSYS language for element definitions, loads and boundary conditions, solution parameters and other common nomenclature. In addition to defining model capabilities, the ANSYS environment provides bi-directional import/export capabilities that enable you to import its current or legacy data files and results, as well as export run-ready ANSYS input data files.




Module benefits

- Simplifies the ANSYS modeling process by enabling you to create analysis models based on geometry or legacy input data files
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from Simcenter 3D

- Immerses you in the ANSYS environment by using familiar terminology and extensive support of specific elements and entities of ANSYS
- Supported solutions include:
 - Structural and axisymmetric structural linear and nonlinear statics
 - Linear and nonlinear buckling
 - Modal
 - Modal flexible body (for use in Simcenter 3D Motion analysis)
 - Mode superposition harmonic
 - Full method harmonic
 - Mode superposition transient dynamic
 - Full method transient dynamic
 - Cyclic symmetry analysis for linear static, modal, nonlinear static, or harmonic – mode superposition
 - Steady-state thermal and axisymmetric thermal
 - Thermal transient
 - Coupled-fields thermal-structural

Simcenter 3DEnvironment for LS-Dyna

The Simcenter 3D Environment for LS-Dyna enables you to build finite element models and define solution parameters for the LS-Dyna solver. The environment immerses you in familiar LS-Dyna language for element definitions, loads and boundary conditions, solution parameters and other common LS-Dyna nomenclature. In addition to defining model capabilities, the LS-Dyna environment enables bi-directional import/export capabilities that allow you to import current or legacy data files and results, as well as export run-ready LS-Dyna input data files.



Module benefits

- Simplifies the LS-Dyna modeling process by enabling you to create analysis models based on geometry or legacy LS-Dyna input data files
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from Simcenter 3D

- Immerses you in the LS-Dyna environment by using familiar terminology and supporting specific product elements and entities
- Supports general structural impact solution

Simcenter 3DEnvironment for MSC Nastran

The Simcenter 3D Environment for MSC Nastran software enables you to build finite element models, define solution parameters and view the solution results for the MSC Nastran solver. The environment immerses you in familiar MSC Nastran language for element definitions, loads and boundary conditions, solution parameters and other common MSC Nastran nomenclature. In addition to model definition capabilities, the MSC Nastran environment provides bi-directional import/export capabilities that enable you to import current or legacy MSC Nastran bulk data files and results as well as export run-ready data files.




Module benefits

- Simplifies the MSC Nastran modeling process by enabling you to create analysis models based on geometry or legacy MSC Nastran input data files
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from Simcenter 3D

- Immerses you in the MSC Nastran environment by using familiar MSC Nastran terminology and extensive support of product-specific elements and entities
- There are a variety of supported solutions:
 - SOL 101 Linear statics
 - SOL 103 Normal modes
 - SOL 105 Buckling
 - SOL 106 Nonlinear or linear statics
 - SOL 107 Direct complex eigenvalues
 - SOL 108 Direct frequency response
 - SOL 109 Direct transient response
 - SOL 110 Modal complex eigenvalues
 - SOL 111 Modal frequency response
 - SOL 112 Modal transient response
 - SOL 129 Nonlinear or linear transient response
 - SOL 153 Static structural and/or steadystate heat transfer analysis with options: linear or nonlinear analysis
 - SOL 159 Transient structural and/or transient heat transfer analysis with options: linear or nonlinear analysis
 - SOL 200 Design optimization with option for only sensitivity analysis

Simcenter 3DEnvironment for ADINA

The Simcenter 3D Environment for ADINA enables you to build finite element models, define solution parameters and view the solution results for the ADINA solver using the Nastran interface. The environment immerses you in familiar ADINA language for element definitions, loads and boundary conditions, solution parameters and other common ADINA nomenclature. In addition to defining model capabilities, the ADINA environment enables bi-directional import/export capabilities that enable you to import its current or legacy data files and results, as well as export run-ready ADINA input data files.




Module benefits

- Simplifies the modeling process by enabling you to create analysis models based on geometry or legacy input data files for ADINA in the Nastran format
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from Simcenter 3D

- Immerses you in the ADINA environment by using familiar terminology and extensive support of specific elements and entities of ADINA
- Solve geometric, material, and contact nonlinearities in static or dynamic (implicit or explicit) analyses
- Supported solutions include:
 - SOL 601,106 Advanced Nonlinear Statics (implicit static)
 - SOL 601,129 Advanced Nonlinear
 Transient (implicit transient dynamic)
 - SOL 701 Explicit Advanced Nonlinear Analysis (explicit transient dynamic for full structural analyses only, not axisymmetric structural)

Simcenter 3DLaminate Composites

Simcenter 3D Laminate Composites features easy-to-use ply and laminate definition tools which help you create and validate composite structure models. You can use Simcenter 3D Laminate Composites to prepare models for the Simcenter Nastran, MSC Nastran, Ansys, Abaqus, or LS-Dyna solvers. Laminate post reporting processes solver stresses or shell resultants to generate contour and tabular results, including envelopes of ply stresses, strains and failure metrics over multiple load cases.



Module benefits

- Reduce laminate model creation time by choosing between zone-based modeling, ply-based modeling or a mixture of both approaches
- Leverage the open solver architecture of Simcenter 3D to perform state-of-the-art dynamic, nonlinear, progressive failure and delamination simulations

- Define laminates on 2D meshes, 3D meshes or both
- Keep your model up-to-date with the latest design using geometry associativity
- Interact with computer-aided design (CAD) based composites definitions from Fibersim, CATIA and others
- Use Simcenter standard materials, or create ply materials from the constituent fiber and matrix material properties, to simulate plies made of woven, unidirectional, randomly oriented short fibers and particulates and represent cores
- Conveniently assign laminates and plies to your choice of geometry, meshes and/or elements
- Improve finite element modeling accuracy by accounting for distorted fiber orientations
- Postprocessing tools allow you to quickly identify critical plies and load cases using classical and user-defined failure theories and create reports

Capabilities chart

Simcenter 3D Engineering Desktop

General capabilities	Specific capabilities					
Preprocessing						
etry ort	Neutral geometry transfer (IGES, STEP, the JT™ data format, Parasolid® software)	•				
Geon	Direct geometry transfer (CATIA V4, CATIA V5, Pro/E)	+				
	Parasolid® software geometry kernel	•				
75	Parametric solid and surface modeling	•				
Geometry modeling	Direct modeling with synchronous technology	•				
y mc	Feature modeling	•				
netr	Assembly structure creation	•				
eon	Interpart relationship	•				
O	Configurations	•				
	Convergent modeling (facet body editing)	+				
	Direct editing with synchronous technology	•				
, r	Defeature tools (geometry repair, feature suppression, stitch surface, remove hole/fil- let, partitioning)	•				
ng pric ng	Non-manifold topology generation for volumes	•				
Geometry editing pr to meshing	Mid-surfacing (constant and variable thickness)	•				
metr to	Automatic topology abstraction	•				
Geol	Manual topology modification tools	•				
	Create surface from mesh face	•				
	Accept convergent model as input, push convergent model to NX CAD module	•				
	Beam modeling	•				
	Automated bolt connection meshing	•				
ing	Automated shell meshing	•				
odel	2D mapped meshing	•				
Aeshing and mod	Automated tetrahedral meshing	•				
gan	Swept hexahedral meshing	•				
shin	Surface coating	•				
Mes	Automated hexahedral dominant meshing	•				
	Transition meshing	•				
	Axisymmetric meshing	•				

General capabilities	Specific capabilities			
б _и	Batch meshing	•		
leshing and modeling (continued)	Mesh quality checks	•		
l mo	Material property creation and management			
ոց and mc continued	Mass property calculations	•		
ing (co	Physical property creation and management	•		
/lesk	Variable element thickness	•		
	Grouping	•		
t es	Hierarchical assembly management	•		
Finite elemen ssembli	Efficient connection modeling	•		
Fii elei issei	Superelement support	+		
	FE and test-based data hybrid modeling	+		
	Apply on geometry	•		
v	Apply to local coordinate system	•		
tion	Apply on FE entities	•		
ndii	Apply on groups	•		
, co	Axisymmetric boundary conditions	•		
ndar	Automatic contact detection and setup	•		
Boul	Automated load transfer from motion analysis	•		
	Import test measurement data from and map to finite element model (load recipe)	•		
rt)	Simcenter Nastran	•		
er da ort xpoi	Abaqus	+		
ernal solver o deck suppor port and exp	ANSYS	+		
ck s	LS-Dyna	+		
External solver data deck support (import and export)	MSC Nastran	+		
<u> </u>	ADINA - Nastran interface	+		
nalysis model to design associativity	Automatic analysis model update based on geometry change	•		
Ā	Perform automated parametric analysis	•		

Legend:

- = included in module
- + = additional product required

General capabilities	Specific capabilities	Simcenter 3D Engineering Desktop			
	Postprocessing				
Contour dis	plays	•			
Beam cross	-section contour displays	•			
Vector disp	Vector displays				
Isosurface o	Isosurface displays				
Cutting pla	Cutting planes				
Advanced lighting control					
Animations					
Complex dynamic response results					
Multiple vie	Multiple viewports				
Probing of I	Probing of results on nodes				
Postprocessing data table with sort/criteria					
Results listings					
Transparen	Transparency display				
Local coordinate system					

General capabilities	Specific capabilities	Simcenter 3D Engineering Desktop		
XY graphing				
Bar graphing				
Synchronized contour and XY plotting displays				
Annotated graphs				
Output (JT, postscript, tif, etc.)				
Enhanced acoustics and NVH postprocessing				
븀	Simcenter Nastran	•		
res rt	Abaqus	+		
lver	ANSYS	+		
External solver resulf file support	LS-Dyna	+		
	MSC Nastran			
	ADINA - Nastran interface	+		

Legend:

- = included in module + = additional product required

Simcenter 3D solver environments

General capabilities	Specific capabilities	Simcenter 3D Environment for Simcenter Nastran	Simcenter 3D Environment for Simcenter BEM Acoustics	Simcenter 3D Environment for Abaqus	Simcenter 3D Environment for ANSYS	Simcenter 3D Environment for LS-Dyna	Simcenter 3D Environment for MSC Nastran	Simcenter 3D Environment for ADINA
Supported analysis types								
	Linear statics	•		•	•		•	
Structural analysis	Normal modes	•		•	•		•	
	Buckling	•		•	•		•	
	Nonlinear	•		•	•		•	•
	Axisymmetric structural	•		•	•	•	•	•
	Modal frequency response	•		•	•		•	
	Direct frequency response	•		•	•		•	
10	Modal transient response	•		•	•		•	
E S	Direct transient response	•		•	•		•	
yna	Random response	•		•				
ral d	Complex modes	•		•				
Structural dynamics	Superelements	•		•			•	
Stru	Flexible bodies (for motion simulation)	•		•	•		•	
	Dynamic explicit			•		•		
	Axisymmetric dynamic explicit			•		•		
	Response spectrum			•				

General capabilities	Specific capabilities	Simcenter 3D Environment for Simcenter Nastran	Simcenter 3D Environment for Simcenter BEM Acoustics	Simcenter 3D Environment for Abaqus	Simcenter 3D Environment for ANSYS	Simcenter 3D Environment for LS-Dyna	Simcenter 3D Environment for MSC Nastran	Simcenter 3D Environment for ADINA
Supported analysis types (continued)								
	Coupled fluid-structure (vibro-acoustic) analysis	•						
ics	Frequency response functions (FRF)	+						
Advanced dynamics	Recursive domain normal modes (RDMODES)	•						
Addy	Fast frequency response (FASTFR)	•						
	Modal representation	+						
nal	Steady-state heat transfer	•		•	•		•	
Thermal	Transient heat transfer	•		•	•		•	
F	Axisymmetric thermal	•		•	•			
Ŋ	Acoustic eigenvalues (normal modes, natural freq)	•						
ıstic	Frequency response	•	•					
Acoustics	Transient response		•					
	Vibro-acoustics	•	•					
sics	Coupled thermal-mechanical	+		•	•			
Multiphysics	Coupled fluid-structure interaction	+						
M	Coupled thermal-flow-structural	+						

Legend:

- = included in module
- + = additional product required

Note: Simcenter 3D Engineering Desktop is a minimum prerequisite for all Simcenter 3D products. Other dependency or prerequisites may apply for individual products.

Siemens Digital Industries Software siemens.com/software

Americas 1 800 498 5351

Europe 00 800 70002222

Asia-Pacific 001 800 03061910

For additional numbers, click <u>here</u>.

© 2025 Siemens. A list of relevant Siemens trademarks can be found here. Other trademarks belong to their respective owners.